

# Ncr1-IRES-DTRGFP

**Nomenclature** C57BL/6Smoc-*Ncr1*<sup>em1(IRES-DTREGFP)Smoc</sup>

**Cat. NO.** NM-KI-190044

**Strain State** Embryo cryopreservation

### **Gene Summary**

Gene Symbol Ncr1	Synonyms	Ly94; NKp46
	NCBI ID	<u>17086</u>
	MGI ID	1336212
	Ensembl ID	ENSMUSG00000062524
	Human Ortholog	NCR1

## **Model Description**

A IRES-DTREGFP expression cassette was knocked into the Ncr1 gene stop codon site.

**Research Application**: DTR mouse

\*Literature published using this strain should indicate: Ncr1-IRES-DTRGFP mice (Cat. NO. NM-KI-190044) were purchased from Shanghai Model Organisms Center, Inc..

### **Validation Data**

Heterozygous Ncr1-IRES-DTRGFP mice and C57BL/6 mice were inoculated with MC38 colon cancer cells. After the tumors grew to 100 mm<sub>3</sub>, Ncr1-IRES-DTRGFP mice were injected with Diphtheria toxin.






Fig1. The growth of MC38 tumors in Heterozygous Ncr1-IRES-DTRGFP mice and C57BL/6 mice. (Cooperation with CrownBio)




Fig2. The percent of NK cell in peripheral blood of MC38 tumor-bearing Ncr1-IRES-DTRGFP mice and C57BL/6 mice is detected by FACS.(Cooperation with CrownBio)



# Change of %NK over time 3.0 2.5 2.1 2.1 2.1 1.6 1.6 1.1 1.1 1.0 0.5

Fig3. The percent of NK cell in peripheral blood of MC38 tumor-bearing Ncr1-IRES-DTRGFP mice and C57BL/6 mice is detected by FACS.(Cooperation with CrownBio)

day 7

Naïve control mice(N=8)
 Ncr1-IRES-DTR/EGFP(N=2)

day 14

day 21

0.0

Pre-dose

day 3