

# hTTR

|                     |                                                  |
|---------------------|--------------------------------------------------|
| <b>Nomenclature</b> | C57BL/6Smoc- <i>Ttr</i> <sup>tm1(hTTR)Smoc</sup> |
| <b>Cat. NO.</b>     | NM-HU-225087                                     |
| <b>Strain State</b> | Repository Live                                  |

## Gene Summary

|                                  |                       |                                        |
|----------------------------------|-----------------------|----------------------------------------|
| <b>Gene Symbol</b><br><b>Ttr</b> | <b>Synonyms</b>       | D17860; AA408768; AI787086; prealbumin |
|                                  | <b>NCBI ID</b>        | <a href="#">22139</a>                  |
|                                  | <b>MGI ID</b>         | <a href="#">98865</a>                  |
|                                  | <b>Ensembl ID</b>     | <a href="#">ENSMUSG00000061808</a>     |
|                                  | <b>Human Ortholog</b> | TTR                                    |

## Model Description

The endogenous mouse *Ttr* gene was replaced by human TTR gene.

\*Literature published using this strain should indicate: hTTR mice (Cat. NO. NM-HU-225087) were purchased from Shanghai Model Organisms Center, Inc..

## Validation Data




Fig.1 Detection of hTTR and mTTR expression in serum by ELISA (n=3).

Abbr. HE, heterozygous; WT, wild type.